

#472 PAGE 1 OF 6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 03/20/2014 Revision date: 03/20/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance name : PENRAY AIR BRAKE ANTIFREEZE

Product code : 5632

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Air Brake Antifreeze

1.3. Details of the supplier of the safety data sheet

The Penray Companies, Inc.

440 Denniston Ct. 60090 Wheeling, IL T (800) 373-6729

rotto@penray.com

1.4. Emergency telephone number

Emergency number : (800) 373-6729

CHEMTREC (800) 424-9300

CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable Liquid 2 Acute toxicity 3 (Oral) Acute toxicity 3 (Dermal) Acute toxicity 3 (Inhalation)

Eye irritation 2B

Specific target organ toxicity - Single exposure 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)







Signal word (GHS-US)

Hazard statements (GHS-US)

: Danger

 Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes eye irritation. Causes damage to eyes.

Precautionary statements (GHS-US)

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. If exposed: Call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a poison center/doctor if you feel unwell If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%	GHS-US classification
Methanol	(CAS No) 67-56-1	100	Flam. Liq. 2 Acute Tox. 3 (Oral, Dermal, Inhalation)
		1	Eye Irrit. 2B
			STOT SE 1

3.2. Mixture

Not applicable

SECTION 4: First aid measures

First-aid measures after ingestion

Description of first aid measures

First-aid measures after inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical advice/attention.

First-aid measures after skin contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation persists

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to

First-aid measures after eye contact do, remove contact lenses, if worn. If irritation persists, get medical attention.

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a poison center or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Toxic if inhaled. May cause respiratory tract irritation. Vapors may cause narcosis with headache, Symptoms/injuries after inhalation

difficulty breathing, lightheadedness, drowsiness, unconsciousness and possibly death.

Symptoms/injuries after skin contact Toxic in contact with skin. May cause skin irritation. Symptoms may include redness, edema,

drying, defatting and cracking of the skin. Other symptoms are similar to those experienced

through inhalation and ingestion.

Symptoms/injuries after eye contact Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion Toxic if swallowed. May be fatal or cause blindness if swallowed. May cause stomach distress,

nausea or vomiting. Ingestion may cause headache, dizziness, drowsiness, metabolic acidosis,

coma, seizures

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Powder, water spray, foam, carbon dioxide.

Unsuitable extinguishing media None known

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, formaldehyde.

5.3. Advice for firefighters

Firefighting instructions Cool closed containers exposed to fire with water. Burns with a colorless invisible flame. In case

of fire and/or explosion do not breathe fumes.

Protection during firefighting Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant

ignition source and flash back.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to General measures

unnecessary and unprotected personnel. Eliminate sources of ignition.

Methods and material for containment and cleaning up

For containment Dike and contain spill. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then

place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate

Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

EN (English)



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Do not get in eyes, on skin, or on clothing. Do not breathe gas, fumes, vapor or spray. Do not swallow. Handle and open container with care. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

equipment.

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Keep cool. Store in a well-

ventilated place.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methyl alcohol (67-5	6-1)	
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm

8.2. Exposure controls

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face

shield) protection.

Skin and body protection : Wear suitable protective clothing

Respiratory protection : A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible

exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Color : Colorless.
Odor : Characteristic.
Odor threshold : 100 ppm

pH : No data available.

Relative evaporation rate (butylacetate=1) : > 1

Melting point : No data available. Freezing point : \sim -97.8 °C (\sim -144.0 °F)

Boiling point : 64 - 65 °C (147 - 149 °F) @ 101.32 kPa

Flash point : 11 - 12 °C (52 - 54 °F)

Critical temperature : ~ 240 °C (~ 464.0 °F)

Self ignition temperature : 385 - 464 °C (725 - 867 °F)

Decomposition temperature : No data available. Flammability (solid, gas) : Flammable

Vapor pressure : 12.3 - 12.8 kPa @ 20 °C (68 °F)

Relative vapor density at 20 $^{\circ}$ C : ~1.11 Relative density : ~0.79 Solubility : Soluble.

Log Pow : No data available.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Loa Kow No data available Viscosity, kinematic No data available. Viscosity, dynamic No data available Explosive properties No data available. Oxidising properties No data available. Explosive limits : 6 - 36 vol %

9.2. Other information No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Acids. Bases. Metals.

Hazardous decomposition products

May include, and are not limited to: oxides of carbon, formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed, in contact with skin or if inhaled.

5632	
LD50 oral rat	>50 but ≤300 mg/kg (Calculated using ATE values)
LD50 dermal rabbit	>200 but ≤1000 mg/kg (Calculated using ATE values)
LC50 inhalation rat (mg/l)	>2.0 but ≤10.0 mg/l/4h (Calculated using ATE values)

Methyl alcohol (67-56-1)		
LD50 oral rat	5628 mg/kg	
LD50 dermal rabbit	15800 mg/kg	
LC50 inhalation rat (mg/l)	83.2 mg/l/4h	

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) Causes damage to eyes. Inhalation, ingestion or skin absorption of methanol can cause

significant disturbances in vision, including blindness. Specific target organ toxicity (repeated exposure)

Aspiration hazard Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation Toxic if inhaled. May cause respiratory tract irritation. Vapors may cause narcosis with headache,

difficulty breathing, lightheadedness, drowsiness, unconsciousness and possibly death.

Symptoms/injuries after skin contact Toxic in contact with skin. May cause skin irritation. Symptoms may include redness, edema,

drying, defatting and cracking of the skin. Other symptoms are similar to those experienced through inhalation and ingestion.

Symptoms/injuries after eye contact Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with marked redness and swelling of the conjunctiva.

Based on available data, the classification criteria are not met.

Toxic if swallowed. May be fatal or cause blindness if swallowed. May cause stomach distress, Symptoms/injuries after ingestion nausea or vomiting. Ingestion may cause headache, dizziness, drowsiness, metabolic acidosis,

coma, seizures.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general May cause long-term adverse effects in the aquatic environment.

03/20/2014 EN (English) 4/6



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.2. Persistence and degradability

 5632

 Persistence and degradability
 Product is biodegradable.

12.3. Bioaccumulative potential

| 5632 | Bioaccumulative potential | Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Handle empty containers with care because residual vapors are flammable.

SECTION 14: Transport information

In accordance with DOT

14.1. UN number

UN-No. : 1230

14.2. UN proper shipping name

Proper Shipping Name : N
Department of Transportation Hazard Classes : 3

Hazard labels

: Methanol

3 (6.1)



Packing group : II

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

Methyl alcohol (67-56-1)		
Listed on the United States TSCA (Toxic Sub Listed on SARA Section 313 (Specific toxic of		
SARA Section 313 - Emission Reporting	1.0 %	

15.2. US State regulations

5632()	
State or local regulations	This product contains a chemical known to the State of California to cause birth defects or
	other reproductive harm.

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

IARC	International Agency for Research on Cancer.
	1 - Carcinogenic to humans;
	2A - Probably carcinogenic to humans;
	2B - Possibly carcinogenic to humans;
	3 - Not classifiable;
	4 - Probably not carcinogenic to humans.
NTP	National Toxicology Program.
	1 - Evidence of Carcinogenicity;
	2 - Known Human Carcinogens;
	3 - Reasonably anticipated to be Human Carcinogen;
	4 - Substances delisted from report on Carcinogens;
	5 - Twelfth Report - Items under consideration.




EN (English)

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 16: Other information

Indication of changes None. Date of issue 03/20/2014 Other information None.

NFPA health hazard 2 NFPA fire hazard 3 NFPA reactivity 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

