#5089 Page 1 of 8

SAFETY DATA SHEET

Issue Date 29-Jan-2015 Revision Date 25-Mar-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name #5089 Equipment Protective Coating

Other means of identification

SDS# JC-010-003 Synonyms None

Details of the supplier of the safety data sheet

> 1325 Gateway Drive Elgin, IL 60124

Phone: 847-622-0001

2. HAZARDS IDENTIFICATION

800-255-3924

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 5 |
|---------------------------|----------------|
| Acute toxicity - Dermal | Not classified |
| Skin corrosion/irritation | Category 3 |

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Causes mild skin irritation

Appearance Opaque Physical state Liquid Odor Ammonia

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)
If skin irritation occurs: Get medical advice/attention
Call a POISON CENTER or doctor/physician if you feel unwell

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0.64479652% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------------------|-------------|----------|--------------|
| Styrene Acrylic Copolymer | Proprietary | 10-30 | * |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | 3-7 | * |
| Tributoxyethyl Phosphate | 78-51-3 | 1-5 | * |
| Zinc Ammonium Chloride | 38714-47-5 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

#5089 Page 3 of 8 Revision Date 25-Mar-2015

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure guidelines noted for ingredient(s).

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|--------------|--------------------------------------|----------------------------|
| Ammonia | STEL: 35 ppm | TWA: 50 ppm | IDLH: 300 ppm |
| 7664-41-7 | TWA: 25 ppm | TWA: 35 mg/m ³ | TWA: 25 ppm |
| | | (vacated) STEL: 35 ppm | TWA: 18 mg/m ³ |
| | | (vacated) STEL: 27 mg/m ³ | STEL: 35 ppm |
| | | | STEL: 27 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

#5089 Page 4 of 8 Revision Date 25-Mar-2015

Information on basic physical and chemical properties

Physical state Liquid
Appearance Opaque
Color White
Odor Ammonia

Odor threshold No Information available

Property Values Remarks • Method

pH 8.5 - 9.5 **Specific Gravity** 1.05

Viscosity <100 cP @ 25°C

Melting point/freezing point No Information available
Flash point >200 °F

Boiling point / boiling range >= 212 °F (at 760 mm Hg)
Evaporation rate No Information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficient No Information available
Autoignition temperature No Information available
Decomposition temperature No Information available

Other Information

Density Lbs/Gal 8.75 **VOC Content (%)** 6.10879

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No data available. Not an expected route of exposure. Avoid breathing vapors or mists.

Eye contact No data available. Avoid contact with eyes.

Skin Contact Avoid contact with skin. Causes mild skin irritation.

Ingestion May be harmful if swallowed. Not an expected route of exposure. Do not taste or swallow.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------|--------------------|---------------------------------|------------------------------------|
| 2-(2-ethoxyethoxy)ethanol | = 1920 mg/kg (Rat) | = 4200 μL/kg (Rabbit) = 6 mL/kg | > 5240 mg/m ³ (Rat) 4 h |
| 111-90-0 | | (Rat) | |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available.

Germ cell mutagenicity No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
Aspiration hazard
No Information available.
No Information available.
No Information available.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.64479652% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

36.6311% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| 200 1 170 of the final consists of components of a till the till a data of the addition | | | | |
|---|----------------------|------------------------------------|---------------------------------|--|
| Chemical Name | Algae/aquatic plants | Fish | Crustacea | |
| 2-(2-ethoxyethoxy)ethanol | - | 10000: 96 h Lepomis macrochirus | 3940 - 4670: 48 h Daphnia magna | |
| 111-90-0 | | mg/L LC50 static 19100 - 23900: 96 | mg/L EC50 | |
| | | h Lepomis macrochirus mg/L LC50 | | |
| | | flow-through 11400 - 15700: 96 h | | |
| | | Oncorhynchus mykiss mg/L LC50 | | |
| | | flow-through 11600 - 16700: 96 h | | |
| | | Pimephales promelas mg/L LC50 | | |
| | | flow-through 13400: 96 h Salmo | | |
| | | gairdneri mg/L LC50 flow-through | | |
| Tributoxyethyl Phosphate | - | 10.4 - 12.0: 96 h Pimephales | - | |
| 78-51-3 | | promelas mg/L LC50 flow-through | | |
| Nonylphenol Ethoxylate | - | 5: 96 h Fish mg/L LC50 | - | |
| 9016-45-9 | | _ | | |

#5089 Page 6 of 8

| Methyl Chloro Isothiazolinone | 0.11 - 0.16: 72 h | 1.6: 96 h Oncorhynchus mykiss | 4.71: 48 h Daphnia magna mg/L |
|-------------------------------|------------------------------------|--------------------------------------|---------------------------------|
| 26172-55-4 | Pseudokirchneriella subcapitata | mg/L LC50 semi-static | EC50 0.12 - 0.3: 48 h Daphnia |
| | mg/L EC50 static 0.03 - 0.13: 96 h | | magna mg/L EC50 Flow through |
| | Pseudokirchneriella subcapitata | | 0.71 - 0.99: 48 h Daphnia magna |
| | mg/L EC50 static 0.31: 120 h | | mg/L EC50 Static |
| | Anabaena flos-aquae mg/L EC50 | | |
| Magnesium Chloride | 2200: 72 h Desmodesmus | 1970 - 3880: 96 h Pimephales | 140: 48 h Daphnia magna mg/L |
| 7786-30-3 | subspicatus mg/L EC50 | promelas mg/L LC50 static 4210: 96 | EC50 Static 1400: 24 h Daphnia |
| | | h Gambusia affinis mg/L LC50 static | magna mg/L EC50 |
| Ammonia | - | 0.44: 96 h Cyprinus carpio mg/L | 25.4: 48 h Daphnia magna mg/L |
| 7664-41-7 | | LC50 0.26 - 4.6: 96 h Lepomis | LC50 |
| | | macrochirus mg/L LC50 1.17: 96 h | |
| | | Lepomis macrochirus mg/L LC50 | |
| | | flow-through 0.73 - 2.35: 96 h | |
| | | Pimephales promelas mg/L LC50 | |
| | | 5.9: 96 h Pimephales promelas | |
| | | mg/L LC50 static 1.5: 96 h Poecilia | |
| | | reticulata mg/L LC50 1.19: 96 h | |
| | | Poecilia reticulata mg/L LC50 static | |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

| Chemical Name | Partition coefficient |
|---------------------------|-----------------------|
| 2-(2-ethoxyethoxy)ethanol | -0.8 |
| 111-90-0 | |
| Tributoxyethyl Phosphate | 4.78 |
| 78-51-3 | |

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------|-----------------------------------|
| Zinc Ammonium Chloride | Toxic |
| 38714-47-5 | |

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

| | 15. REGULATORY INFORMATION | |
|---------------------------|----------------------------|--|
| International Inventories | | |

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------------------|-------------------------------|
| 2-(2-ethoxyethoxy)ethanol - 111-90-0 | 1.0 |
| Zinc Ammonium Chloride - 38714-47-5 | 1.0 |

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| | Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---|--------------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Z | Zinc Ammonium Chloride 38714-47-5 | - | X | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| 2-(2-ethoxyethoxy)ethanol 111-90-0 | X | - | Х |
| Zinc Ammonium Chloride 38714-47-5 | X | - | Х |
| Ammonia 7664-41-7 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPAHealth hazards1Flammability0Instability0Physical and Chemical PropertiesHMISHealth hazards1Flammability0Physical hazards0Personal protectionB

Issue Date 29-Jan-2015 Revision Date 25-Mar-2015

Revision Note

No Information available

#5089 Page 8 of 8

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 8 / 8