



Issue Date: 05-Sep-2019

Revision Date: 10-Sep-2019

Item 970 Version 1

1. IDENTIFICATION

Product identifier Product Name

#970 Heavy Duty Duzitall

Other means of identification SDS #

970

Recommended use of the chemical and restrictions on useRecommended UseFor industrial use.

Details of the supplier of the safety data sheet Distributor 1st Ayd Corporation 1325 Gateway Drive Elgin, IL 60123

Emergency telephone number Company Phone Number Emergency Telephone

(847) 622-0001 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical state Liquid

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Signal Word Warning

Hazard statements

Causes skin irritation Causes serious eye irritation



<u>Precautionary Statements - Prevention</u> Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical advice/attention

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	<10
Nonylphenol Ethoxylate	127087-87-0	<5
Sodium hydroxide	1310-73-2	<5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES		
Description of first aid mea	isures		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin Contact	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
ost important symptoms	and effects, both acute and delayed		
Symptoms	Causes skin irritation. Causes serious eye irritation.		
ndication of any immediate medical attention and special treatment needed			

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Invironmental precautions Use personal protective equipment as required.				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containment and cleaning up				
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Clean-Up	Keep in suitable, closed containers for disposal.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on Safe Handling	Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.			
Conditions for safe storage, including any incompatibilities				

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Not determined

Odor

Not determined

Revision Date: 10-Sep-2019

Color	Not determined	Odor Threshold	Not determined
Property_	<u>Values</u>	Remarks • Method	
рН	13		
Melting point / freezing point	Not determined		
Boiling point / boiling range	Not determined		
Flash point	Not determined		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limit in Air			
Upper flammability or explosive	Not determined		
limits			
Lower flammability or explosive	Not determined		
limits			
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Relative Density	Not determined		
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Not determined		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.

Ingestion

Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (Rat) 4 h
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	= 325 mg/kg (Rat)	= 1350 mg/kg(Rabbit)	-
Pine oil 8002-09-3	= 3200 mg/kg (Rat)	= 5 g/kg (Rabbit)= 400 mg/kg (Rabbit)	> 3.79 mg/L (Rat)4 h
Polyethylene glycol 25322-68-3	= 22 g/kg (Rat) = 28 g/kg (Rat)	> 20 g/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

ns Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	5,203.60 mg/kg
Dermal LD50	18,917.20 mg/kg
ATEmix (inhalation-dust/mist)	15.20 mg/L
ATEmix (inhalation-vapor)	43.50 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethylene Glycol Monobutyl Ether		2950: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 1490: 96 h Lepomis	EC50 1698 - 1940: 24 h Daphnia
		macrochirus mg/L LC50 static	magna mg/L EC50

Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	
Pine oil 8002-09-3			17 - 28: 48 h Daphnia magna mg/L EC50 Flow through
Chemical name	Algae/aquatic plants	Fish	Crustacea
Polyethylene glycol		5000: 24 h Carassius auratus mg/L	
25322-68-3		LC50	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status		
Sodium hydroxide	Toxic		
1310-73-2	Corrosive		

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG_	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene Glycol Monobutyl Ether	Х	ACTIVE	х	Х	Х	Х	Х	Х	Х
Nonylphenol Ethoxylate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Sodium xylenesulfonate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Sodium hydroxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Pine oil	Х	ACTIVE	Х			Х	Х	Х	Х
Polyethylene glycol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	<10	1.0
Nonylphenol Ethoxylate - 127087-87-0	127087-87-0	<5	1.0

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Х

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	X
Sodium hydroxide 1310-73-2	Х	X	X
Pine oil 8002-09-3	Х		

Item 970

Revision Date: 10-Sep-2019

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	Instability Not determined Physical hazards Not determined
Issue Date: Revision Date:	05-Sep- 10-Sep-		

New format

Special Hazards Not determined Personal Protection Not determined

Disclaimer

Revision Note:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet